



Structural Building Components Association

6300 Enterprise Lane | Madison, WI 53719 | 608/274-4849 | 608/274-3329 (fax) | www.sbindustry.com | sbca@sbindustry.com

ANSI/SBCA FS 100–2012 (R2018)

Standard Requirements for Wind Pressure Resistance of Foam Plastic Insulating Sheathing Used in Exterior Wall Covering Assemblies

**Approved American National Standard
October 2018**

**Copyright © 2018
SBCA**

Acknowledgements

This *American National Standard* establishes wind pressure resistance requirements for foam plastic insulating sheathing (FPIS) products used as exterior wall sheathing, including use as continuous insulation in exterior wall covering assemblies for the purpose of demonstrating wind pressure performance. This includes performance testing, analysis and quality control procedures.

In this endeavor, SBCA worked in concert with the Foam Sheathing Committee (FSC) of the American Chemistry Council whose mission is to develop solutions to building code issues and promote the proper technical use of foam sheathing to the construction industry. Thanks are extended to the members of FSC and the FS 100 Project Committee for their hard work and commitment to achieving this consensus standard.

*ANSI/SBCA FS 100–2012 (R2018) Published October 2018
Commentary Released January 2019*

SBCA FS 100 Project Committee

Producers

Mr. Brian Lieburn (Chair), Dow Building Solutions

Mr. Clarke Berdan, II, Owens Corning

Mr. Ted Grant, Atlas EPS

Ms. Alisa R. Hoffee, Pactiv Building Products

Mr. William J. Nicola, Bayer MaterialScience LLC

Mr. Tom Savoy, Insulfoam

Users

Mr. Scott Croasdale, JRS Engineering Ltd.

Mr. Warren R. French, P.E., French Engineering, Inc.

Mr. Brice Hereford, FastenMaster

Mr. Martin Houston, Walsh Construction Company

Mr. Joe Nebbia, Newport Partners LLC

Mr. James K. Petersen, Pulte Homes

Mr. William J. Sauder

General Interest

Mr. Andre Desjarlais, Oak Ridge National Laboratory

Mr. Wayne R. Jewell, C.B.O., WRJ Associates, LLC

Mr. Vladimir G. Kochkin, NAHB Research Center

Mr. Philip Line, P.E., American Wood Council

Mr. Glen Robak, Weyerhaeuser

Mr. Larry Stevig, SE, AIA, State Farm Insurance Companies

Mr. Louis Wagner, American Fiberboard Assoc.

Mr. Steve G. Winistorfer, P.E., TECO

Table of Contents

Acknowledgements.....	ii
SBCA FS 100 Project Committee	iii
1.1 Scope	1
1.2 Limitations	1
1.3 Additional Considerations	1
1.4 Material Requirements	2
1.5 Alternative Methods of Compliance	2
2.0 Reference Standards	2
3.0 Definitions	2
4.0 Design Wind Load Requirements.....	4
4.1 Prescribed Design Wind Loads.....	4
TABLE 1: Components and Cladding Design Wind Pressure Loads (PSF)	4
4.2 Calculated Design Wind Loads	4
5.0 Installation Conditions	4
6.0 Wind Pressure Resistance Requirements.....	5
6.1 General.....	5
TABLE 2: Product Orientation on Test Frame to Address Intended End-Use Installation Conditions.....	6
6.2 Nominal Wind Pressure Resistance (P_{nom})	7
6.3 Yield Wind Pressure Resistance (P_y).....	7
6.4 Pressure Equalization Factor (PEF)	7
6.5 Allowable Design Wind Pressure Resistance (P_{all})	7
6.6 Conditions of Use.....	8
7.0 Quality Assurance and Product Labeling.....	8
7.1 Quality Control.....	8

7.2 Quality Assurance Testing.....	8
7.3 Process Control	8
7.4 Specific Requirements for <i>FPIS</i> Products	9
7.5 Labeling	9
ANNEX A – Test Methods	10
A.1 Bending Strength Behavior and Quality Control Test Method (“Test Method A.1”)	10
A.2 Wind Pressure Qualification Test Method (“Test Method A.2”).....	11
A.3 Wind Pressure Qualification Test Method (“Test Method A.3”).....	12
Commentary (Non-Mandatory)	C1
C1.2 Limitations	C1
C1.3 Additional Considerations	C1
<i>FIGURE C1: Exterior Wall Covering Assembly with Cladding Installed Directly Over FPIS Product</i>	C2
<i>FIGURE C2: Exterior Wall Covering Assembly with Cladding and Furring Installed Over FPIS Product</i>	C2
C1.5 Alternative Methods of Compliance	C3
C2.0 Reference Standards	C4
C4.0 Design Wind Load Requirements	C4
C5.0 Installation Conditions	C4
C6.0 Wind Pressure Resistance Requirements	C4
C6.1 General.....	C4
C6.2 Nominal Wind Pressure Resistance (P_{nom}).....	C5
C6.3 Yield Wind Pressure Resistance (P_y).....	C5
<i>FIGURE C3: Illustration of Recommended Criteria to Determine P_y</i>	C7
<i>FIGURE C4: Examples from Extremes in FSC Test Data (Applications of Yield Criteria to Determine P_y)</i>	C8

<i>C6.4 Pressure Equalization Factor (PEF)</i>	<i>C8</i>
<i>FIGURE C5: Distribution of Net Components and Cladding Pressure Acting on a Building Surface (Building Envelope) Comprised of Three Components (Layers) (ASCE 7–10, FIGURE C30.1-1)</i>	<i>C9</i>
<i>C6.5 Allowable Design Wind Pressure Resistance (P_{all})</i>	<i>C9</i>
<i>TABLE C1: Comparison of Safety Factors</i>	<i>C10</i>
<i>C7.0 Quality Assurance and Product Labeling</i>	<i>C11</i>
<i>ANNEX A – Test Methods</i>	<i>C11</i>
<i>CA.1 Bending Strength Behavior and Quality Control Test Method (“Test Method A.1”)</i>	<i>C11</i>
<i>CA.2 Wind Pressure Qualification Test Method (“Test Method A.2”)</i>	<i>C11</i>
<i>CA.3 Wind Pressure Qualification Test Method (“Test Method A.3”)</i>	<i>C12</i>